



See our true colours

Glass fittings by Bohle

Highlights 2025

Glass Railings, Bath and Shower, Interior Fittings

ABOUT US

When it comes to glass, we have secured ourselves a very special place: first

We are Europe's leading manufacturer and supplier of products for glass. We not only support glass companies, but also the trade and retail. Our portfolio covers the full range of first-class solutions which include fittings for showers and sliding doors, railing systems, products for industrial glass cutting, handling equipment and tools as well as Glass processing consumables.

OUR WORLD OF GLASS FITTINGS

High-quality fittings effectively set the scene for glass installations. Our comprehensive portfolio includes applications for interior and exterior fit-out, bathrooms, showers, and glass balustrades. Just one key to our success is that we develop and manufacture many of our products at our headquarters in Haan.



Glass Railings

Welcome to the world of glass railings and guardrails. Find out here about point fittings, all-glass railings as well as French balconies, and take a look at the projects of satisfied customers. With all railing products from Bohle, you can rely on first-class quality, fast assembly, maximum safety and a modern design.



Interior Fittings

Have a look here for an overview of Bohle's interior products for glass. Here you will find high-quality fittings for hinged and sliding doors, partition wall systems and products for all kinds of glass installations. For sophisticated interior design, you can rely on Bohle fittings.



Bath and Shower Fittings

Discover our extensive portfolio of shower door fittings. Whether you are looking for hinges, swing door hinges, sliding shower doors or matching accessories, the Bohle bathroom range has the right solution for you, because yesterday's bathrooms are tomorrow's wellness oases.

GLASS RAILINGS

VetroMount®

Point fixings

Lyon

4

4

8

9



INTERIOR FITTINGS

MasterTrack® FT

MasterTrack® BT

FloorTrack

FrameTec Select 2.0

Alva

10

10

11

12

13

14



BATH AND SHOWER FITTINGS

Juna®

Madrid FM

Arta FM

15

15

16

17



CONSULTING & SERVICE

SEMINARS

18

19



SEE OUR TRUE COLOURS

Give your projects the perfect finish. A large number of our products can now be powder-coated according to your wishes.

Choose from the entire RAL colour palette and adapt the projects harmoniously to your architecture. Whether interior or exterior door systems, glass partitions or safety barriers - everything appears in a uniform look.

For special colours outside the RAL palette, please contact us - we will check your individual requirements.





VetroMount® **HEAVY DUTY**



The VetroMount® HD floor profile U for surface mounting made of extruded aluminium meets the requirement for a tie-bar load of 2 kN and is tested on steel and concrete. Use the intermediate connectors, which are inserted between the floor profiles with a simple plug-in connection, for rapid drainage.

Product highlights

- 2 kN tie-bar load
- Tested fastening on concrete and steel
- Installation with and without cover profile
- Glass heights up to 1300 mm
- Glass widths from 300 mm possible
- Aluminium with protective anodised coating



Profiles on request
according to the RAL
colour scale - Please email
us at hardware@bohle.de






VetroMount® PV-Ready



The VetroMount® all-glass railing provides an answer to the question of how the use of renewable energies can be combined with glass fittings - without compromising on appearance. Because where glass panes serve as railings, the use of photovoltaics is also possible. But where to put the cabling and junction boxes? Where conspicuous handrails were previously required, which also had to be connected to the building due to the cables, Bohle presents its basic profile with optimised cabling options: Perfectly concealed, yet accessible at all times and can be realised with discreet edge protection.

Product highlights

- Easier installation: cables and connections are floor profile
- More elegant look: discreet edge protection without visible cable ducts
cable ducts and power connection possible via floor profiles
- Higher energy generation thanks to 1.30 m glass height



PV spacer block BO 5403119 (coloured blue)





VetroMount® powder coating



Individual powder coating in all RAL colours

Give your glass railing system the perfect finish: Our VetroMount® profiles - including cover profiles, cover profiles, intermediate connectors and end caps - can now be powder-coated to suit your requirements. Choose from the entire RAL colour palette and match the railing profiles harmoniously to your architecture. Whether it's for window frames, front doors or guardrails - everything appears in a uniform look.

In addition to our standard matt gloss finish, we also offer glossy or finely textured surfaces on request. For special colours outside the RAL range, please contact us - we will check your individual requirements.



Profiles on request
according to the RAL
colour scale - Please email
us at hardware@bohle.de



VetroMount® cutting service



We can now cut the VetroMount® railing profiles to size for you. You will receive the profiles cut directly to your desired dimensions and mitres. Because what doesn't fit will be made to fit. The five profile variants offer you a wide range of installation options.





Glass point fixings



Point fixings for glass, also known as glass holders, create frameless glazing that is often used for facades, railings or roofs. These small all-rounders are versatile and elegantly emphasise glass while receding into the background. Point fixings from Bohle follow a stable design in accordance with DIN EN 1991-1-1 and are precisely manufactured.

Product highlights

- Simple installation and fixing of the glass
- Robust design in accordance with DIN EN 1991-1-1
- Distance adjustable after installation
- Adjustability from the front
- Adjustable through slotted hole in the building connection

Now also available
in black






Lyon - French balcony



In modern houses and residential areas, floor-to-ceiling windows provide plenty of light and a generous sense of space. The French Lyon balcony combines maximum transparency with maximum security: even maximum glass widths of 4000 mm are possible without any problems.

Product highlights

- Highest safety for floor-to-ceiling windows, certified according to DIN 18008-4 (General Building Inspection Test Certificate (AbP))
- Installation length of up to 4 metres
- Standard profile heights: 900 mm, 1000 mm and 1100 mm
special heights upon request
- Simple mounting thanks to the 1-2-3 click system
- Small number of screw connections: 4 per side



Profiles on request
according to the RAL
colour scale - Please email
us at hardware@bohle.de





MasterTrack® FT - Now also in white



With MasterTrack® FT, Bohle offers a high-tech complete solution for sliding door systems that impresses with its revolutionary smooth running and noticeable ease of movement. The entire installation process requires just a few simple steps. Installation is correspondingly quick, intuitive and therefore cost-saving.

Product highlights

- Impressively smooth running
- Smooth closing mechanism
- Safe anti-jump protection
- Safe lift-out protection
- Elegant appearance in the weight classes 60, 80, 120 and 150 kg
- Intuitive and cost-saving assembly
- All settings conveniently accessible from the front
- Modular design in all weight classes
- All-metal dampers with high-quality hydraulics and a double-sided spring guide
- Synchronously opening systems possible





MasterTrack® BT - Sliding door system



The special solutions in the MasterTrack® BT sliding door series are used when the installation situation requires more than simple ceiling or wall mounting. With the modular MasterTrack® BT system, there are no limits to interior design. With just a few individual parts and thanks to the compact track, in which the glass suspension is located below the carriage, single and multi-leaf doors as well as flush ceiling solutions can be installed in no time at all.

Product highlights

- Simple glass clamping mechanism for a secure hold
- Installation with and without fixed glazing
- Height adjustment ± 3 mm
- Smooth closing mechanism
- Safe anti-jump protection
- Optional metal damper with high-quality hydraulics and double-sided spring guide
- Synchronous opening possible





FloorTrack - Terrace glazing



The feeling of being outside - without being outside. How do you achieve this? With the new floor-guided sliding door system from Bohle. Whether for a private summer garden or a practical patio partition in the catering trade, with FloorTrack, you can create a mobile and transparent partition wall that elegantly separates outdoor areas.

Product highlights

- Installation with recessed or surface-mounted floor rail
- 3-5 sliding elements possible
- Total widths of over 10 m possible thanks to connecting elements
- 3 surfaces available: White, anthracite grey and anodised aluminium
- Perfect alignment thanks to height adjustability



Profiles on request
according to the RAL
colour scale - Please email
us at hardware@bohle.de





FrameTec Select 2.0 - Glass partition wall system



The FrameTec Select 2.0 glass partition wall system is a real all-rounder: the elegant, slimline frame construction creates open, light-flooded room concepts while maintaining discretion in living and office spaces thanks to sound insulation of up to 37 dB. The system is characterised by its versatile installation options and impresses with high-quality profiles that are quick and easy to install. Create a new sense of space with glass walls.

Product highlights


- Stable frame system with secure hold
- Can be flexibly combined with skylight, side panel or as partition wall
- Narrow floor and wall profiles for a uniform look
- Quick installation thanks to clever profile system
- Sound insulation up to 37 dB



FrameTec Select 2.0
has been tested
by ift Rosenheim according
to DIN 4109.



Profiles on request according to the
RAL colour scale - Minimum purchase
of 4 profiles or frame sets. Please email
us at hardware@bohle.de





Alva - Self-closing corner fitting



With its outstanding functions, convenient installation options and clear design, the Alva corner fitting is one of the best in its class. As the matching upper corner fitting has the same dimensions as the lower one, the fitting solution harmonises particularly well as a whole. Alva is therefore a timelessly designed all-rounder. The entire hydraulic system for the self-closing function is housed in the slim fitting. The fitting with closing force EN5 has the same dimensions of 184x70 mm as the EN3 corner fitting and therefore ensures a uniform appearance for doors of different sizes in a room. It is particularly suitable for wide and heavy doors.

Product highlights

- Fast installation without floor recess
- The base plate is only fastened to the ground with two screws
- Fine adjustment of the door
- High-quality appearance without visible screws or attachment points
- With black inserts
- Cover caps also available in black and polished finish
- Tested with 500.000 cycles in accordance with DIN EN 1154 by ift Rosenheim
- Matching wall connection clamping profiles in the range





Juna® - Shower door hinge



The Juna® shower door hinge series catches the eye – and stays in the mind. The fittings are available in six finishes and combine modern elegance with high-quality materials.

For true confidence in Juna hinges, the shower door hinges are made from materials of the highest quality. They therefore guarantee a long service life and at the same time provide remarkable accents.



Colour white available from
the end of 2025

 **100.000**
CYCLES TESTED

PATENTED
>ZERO< POSITION
ADJUSTMENT

QUALITY BY BOHLE
MADE IN GERMANY

5 YEAR
WARRANTY

 **SAUNA**
TESTED



Madrid FM* - Shower door hinge



The hinge has a flush, adjustable glass fastening, which makes it easy to clean the glass. All screw fittings on the hinge are concealed so that nothing detracts from the high-quality appearance. The design is classically angular and therefore timeless. The sealing profiles can be guided through the hinge. No glass cut-outs are required for installation, only glass drill holes.

Product highlights

- Shower door seals can be guided through the hinge
- Only glass drill holes required
- Concealed screws
- Flush mounting



*FM = flush mounting



Arta FM* - Shower door hinge



Arta shower door fittings are the elegant solution for glass shower doors. The hinges are designed as single-action door hinges and allow the sealing profiles to be guided through the hinge. The classic angular design means that no disruptive screw fittings are visible. The zero position can be adjusted using a screw located on the underside of the hinge. The raising/lowering function with a 5 mm lifting height enables the shower door to close independently. Due to the lowering of the door when closing, a better seal can be achieved due to increased sealing pressure. The shower door hinge is ideal for barrier-free, level-access bathrooms.

Product highlights

- Shower door seals can be guided through the hinge
- Stepless zero position adjustment
- Lift/lower mechanism with 5 mm lifting height
- Only glass drill holes required
- Concealed screws
- Cover caps with clip technology
- Flush mounting



*FM = flush mounting



Advice & Service



Since our foundation in 1923, we have developed invaluable expertise in all aspects of glass. With our international teams of experts and local branches, we provide you with on-site advice worldwide, support you with tender texts and planning documents, detailed product advice and technical advice, e.g. for large-scale projects.



Fittings

For questions relating to the range of fittings such as railings, showers, sliding doors and much more.

hardware@bohle.de

+49 (0) 2129 5568 951

For support when planning projects

technical-hardware@bohle.de

+49 (0) 2129 5568 953




Practical seminars

We have been sharing our expertise and passion for glass with you for over 30 years. We know all the intricacies of the technical processing options and it is precisely these that you will learn in our seminars. Choose your date from the existing programme or contact us for tailor-made seminars for you and your employees. We will support you and optimise your personal qualification.

Hardware seminars (1-day & free of charge)

- Freely plan and install glass showers
- Efficient installation of hinged doors & glass partitions
- Safety barriers made of glass
- More living comfort with sliding doors

Venue: Bohle AG Visitor Centre, Büssingstraße 10, 42781 Haan



 Bohle

Bohle AG - Head Office
Dieselstraße 10
42781 Haan
Germany

+49 (0) 129 5568-951
hardware@bohle.de

www.bohle.com