

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 1 of 8

1. Identification**Product identifier**

Concentrated coolant VETROCOOL

Further trade names

BO 5002829, 5 kg

BO 5002827, 20 kg

BO 5002828, 220 kg

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

lubricant assistants

Details of the supplier of the safety data sheet**Manufacturer**

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
E-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
E-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

Trader of the product

Company name:	Bohle America, Inc.
Street:	10924 Granite Street, Suite 200
Place:	USA-NC 28273 Charlotte
E-mail (Contact person):	sales@bohle.com

Emergency phone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463**2. Hazard(s) identification****Classification of the chemical****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

3. Composition/information on ingredients**Mixtures****Chemical characterization**Corrosion inhibitor
Additive

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 2 of 8

Relevant ingredients

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
111-46-6	2,2'-oxybisethanol; diethylene glycol			5 - < 10 %
	203-872-2	603-140-00-6		
	Acute Tox. 4; H302			
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine			1 - < 5 %
	203-312-7	603-079-00-5		
	Eye Irrit. 2; H319			
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt; pyriithione sodium; sodium pyriithione			0,1 - < %
	223-296-5	613-344-00-7		
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 2; H331 H311 H302 H315 H319 H317 H372 H400 H411 EUH070			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Components	Quantity
	Specific Conc. Limits, M-factors and ATE		
111-46-6	203-872-2	2,2'-oxybisethanol; diethylene glycol	5 - < 10 %
	oral: LD50 = 500 mg/kg		
105-59-9	203-312-7	2,2'-(methylimino)diethanol; N-methyldiethanolamine	1 - < 5 %
	dermal: LD50 = 5990 mg/kg; oral: LD50 = 4680 mg/kg		
3811-73-2	223-296-5	pyridine-2-thiol 1-oxide, sodium salt; pyriithione sodium; sodium pyriithione	0,1 - < %
	inhalation: ATE 0,5 mg/l (dusts or mists); dermal: ATE 790 mg/kg; oral: ATE 500 mg/kg Aquatic Acute 1; H400: M=100		

4. First-aid measures
Description of first aid measures
General information

- First aider: Pay attention to self-protection!
- Move out of dangerous area.
- Take off all contaminated clothing immediately.

After inhalation

Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.

After contact with skin

Wash off with warm water and soap. If skin irritation persists, call a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. If symptoms persist, call a physician.

After ingestion

Rinse mouth. When in doubt or if symptoms are observed, get medical advice.

Most important symptoms and effects, both acute and delayed

May cause eye/skin irritation.

Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 3 of 8

Extinguishing media**Suitable extinguishing media**

Water mist. Foam. dry powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Carbon monoxide
nitrogen oxides (NO_x)

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Use personal protective equipment.

Environmental precautions

Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Methods and material for containment and cleaning up**For containment**

Large amounts of spillages: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

For cleaning up

Flush with water.

Other information

Never return spills in original containers for re-use.

Reference to other sections

SECTION 8: Exposure controls/personal protection
SECTION 13: Disposal considerations

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Avoid contact with skin and eyes.
Handle in accordance with good industrial hygiene and safety practice.
Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion

Usual measures for fire prevention.
Co-ordinate fire-fighting measures to the fire surroundings.

Advice on general occupational hygiene

Provide adequate ventilation. Do not breathe vapour/aerosol.
Avoid contact with the skin and the eyes.
Take off contaminated clothing and shoes immediately.
Keep away from food, drink and animal feedingstuffs.
Wash hands before breaks and immediately after handling the product.
When using, do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 4 of 8

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.
 Protect from frost, heat and sunlight.
 Store in original container.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

10 - 30°C

Specific end use(s)

lubricant assistants

8. Exposure controls/personal protection

Control parameters

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
111-46-6	2,2'-oxybisethanol; diethylene glycol			
Worker DNEL, long-term		inhalation	systemic	26 mg/m ³
Worker DNEL, long-term		dermal	systemic	106 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	60 mg/m ³
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine			
Worker DNEL, long-term		dermal	systemic	19 mg/kg bw/day

PNEC values

CAS No	Substance	Value
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine	
Environmental compartment		
Freshwater		0,1 mg/l
Marine water		0,013 mg/l
Freshwater sediment		0,89 mg/l
Marine sediment		0,11 mg/l

Additional advice on limit values

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

protective gloves EN ISO 374

nitrile rubber

Butyl caoutchouc (butyl rubber)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 5 of 8

mentioned above together with the supplier of these gloves.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Recommended Filter type: A-P2.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Color:	light yellow
Odor:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	> 100 °C
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not applicable
pH-Value (at 20 °C):	9,5 -10,5 DIN 51369
Viscosity / kinematic: (at 40 °C)	3 - 5 mm ² /s DIN 16896
Water solubility:	soluble OECD 116
Density (at 20 °C):	1,060-1,080 g/cm ³ DIN 51757

Other information

Information with regard to physical hazard classes

Explosive properties
none

Oxidizing properties
none

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Protect from frost, heat and sunlight.

Incompatible materials

strong acids and oxidizing agents

Hazardous decomposition products

No known hazardous decomposition products.

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 6 of 8

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol				
	oral	LD50 500 mg/kg			
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine				
	oral	LD50 4680 mg/kg	Rat		
	dermal	LD50 5990 mg/kg	Rabbit		
3811-73-2	pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodium; sodium pyrithione				
	oral	ATE 500 mg/kg			
	dermal	ATE 790 mg/kg			
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Causes skin irritation.

Causes serious eye irritation.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

This information is not available.

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met.

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 7 of 8

CAS No	Components					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol					
	Acute fish toxicity	LC50 > 32000 mg/l	96 h	Gambusia affinis		
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine					
	Acute fish toxicity	LC50 1000 - 2200 mg/l	96 h	Leuciscus idus		
	Acute algae toxicity	ErC50 37 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 233 mg/l	48 h	Daphnia magna		

Persistence and degradability

No data available

Bioaccumulative potential

Bioaccumulation is unlikely.

Partition coefficient n-octanol/water

CAS No	Components	Log Pow
111-46-6	2,2'-oxybisethanol; diethylene glycol	-1,98 (25°C)
105-59-9	2,2'-(methylimino)diethanol; N-methyldiethanolamine	-1,08

Mobility in soil

No data available

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

This information is not available.

Further information

Do not flush into surface water or sanitary sewer system.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

14. Transport information

Other applicable information

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Concentrated coolant VETROCOOL

Revision date: 07/29/2025

Product code: BO5002827

Page 8 of 8

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

16. Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,12,15.

Abbreviations and acronyms

Acute Tox: Acute toxicity

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

STOT RE: Specific target organ toxicity repeated or prolonged exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Relevant H statements (full text)

H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
EUH070	Toxic by eye contact.
EUH210	Safety data sheet available on request.

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)