

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 1 of 8

1. Identification
Product identifier

Cutting Fluid Silberschnitt V52

Further trade names

 BO5002954, 5 l
 BO5002904, 30 l
 BO5002934, 200 l
 BO9973880*, Sample

Recommended use of the chemical and restrictions on use
Use of the substance/mixture

cutting fluid

Details of the supplier of the safety data sheet
Manufacturer

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
E-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
E-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

Supplier

Company name:	Bohle America, Inc.
Street:	10924 Granite Street, Suite 200
Place:	USA-NC 28273 Charlotte
E-mail (Contact person):	sales@bohle.com

Emergency phone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

2. Hazard(s) identification
Classification of the chemical
29 CFR Part 1910.1200

 Flammable liquids: Category 3
 Skin corrosion/irritation: Category 2
 Aspiration hazard: Category 1

Label elements
29 CFR Part 1910.1200
Signal word: Danger

Pictograms:

Hazard statements

 Flammable liquid and vapor
 May be fatal if swallowed and enters airways
 Causes skin irritation

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 2 of 8

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call a poison center/doctor.
 Do NOT induce vomiting.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 If skin irritation occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.
 Store in a well-ventilated place. Keep cool.
 Store locked up.

3. Composition/information on ingredients
Mixtures
Chemical characterization

Hydrocarbons

Relevant ingredients

CAS No	Components	Quantity
68551-17-7	Hydrocarbons, C10-C13, isoalkanes, cyclics, <2% aromatics	<50 %
93924-07-3	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	<50 %
93924-07-3	Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics	<25 %
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether	<10 %

4. First-aid measures
Description of first aid measures
General information

First aider: Pay attention to self-protection!
 Move out of dangerous area.
 Take off contaminated clothing and shoes immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.
 If symptoms persist, call a physician.

After contact with skin

Wash off with soap and plenty of water.
 If symptoms persist, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing.
 Consult a physician.

After ingestion

Rinse mouth thoroughly with water.
 Do NOT induce vomiting.
 Call a physician immediately.

Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 3 of 8

Repeated exposure may cause skin dryness or cracking.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂)
Extinguishing powder
alcohol resistant foam
Water spray jet

Unsuitable extinguishing media

high volume water jet

Specific hazards arising from the chemical

Heating or fire can release toxic gas.
Carbon dioxide, Carbon monoxide

Special protective equipment and precautions for fire-fighters

Standard procedure for chemical fires.
Self-contained respirator (breathing apparatus) according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.

Additional information

Use water spray to cool unopened containers.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Use personal protective equipment.

Environmental precautions

Do not flush into surface water or sanitary sewer system.
Do not allow to enter into soil/subsoil.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up**Other information**

Provide adequate ventilation.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Dispose of waste according to applicable legislation.

Reference to other sections

Personal protection equipment (PPE): see section 8
Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation as well as local exhaustion at critical locations.
To avoid risks to man and the environment, comply with the instructions for use.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Usual measures for fire prevention.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 4 of 8

Take precautionary measures against static discharges.
Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Do not breathe vapours or spray mist.
Avoid contact with skin, eyes and clothing. Take off all contaminated clothing immediately.
Wash hands before breaks and immediately after handling the product.
When using do not eat or drink. Do not smoke.
Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.
Store in a place accessible by authorized persons only.
Protect from direct sunlight.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Recommended storage temperature: 5 - 40°C

8. Exposure controls/personal protection**Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

safety glasses with side-shields conforming to EN166

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Glove material: Butyl caoutchouc (butyl rubber), NBR (Nitrile rubber)

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

EN 13034 (type 6 limited splash-tight)

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Combination filtering device
Respirator with filter for organic vapour, Recommended Filter type: A-P2

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

Do not allow to enter into soil/subsoil.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:

Liquid

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 5 of 8

Color: colourless
 Odor: like: Hydrocarbons

Test method

Boiling point or initial boiling point and boiling range:	>165 °C	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	59 °C	ISO 2719
Auto-ignition temperature:	not determined	
pH-Value:	not applicable	
Viscosity / kinematic: (at 40 °C)	< 2 mm ² /s	
Water solubility:	insoluble	
Vapor pressure: (at 20 °C)	1 hPa	
Density (at 20 °C):	0,78 g/cm ³	

Other information
Information with regard to physical hazard classes

Self-ignition temperature not auto-flammable

Other safety characteristics

Solvent content: 100%
 Viscosity / dynamic:
(at 20 °C) < 2 mPa·s

Further Information

Vapors may form explosive mixtures with air.

10. Stability and reactivity
Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

Vapors may form explosive mixtures with air.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Protect from direct sunlight.

Incompatible materials

oxidizing agents

Hazardous decomposition products

No decomposition if used as directed.

11. Toxicological information
Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 6 of 8

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
68551-17-7	Hydrocarbons, C10-C13, isoalkanes, cyclics, <2% aromatics				
	dermal	LD50 >3160 mg/kg	Rabbit		
93924-07-3	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >4,951 mg/l	Rat		
93924-07-3	Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >5000 mg/kg	Rabbit	OECD 402	

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

May be fatal if swallowed and enters airways

Information on other hazards
Endocrine disrupting properties

This information is not available.

12. Ecological information
Ecotoxicity

This product has no known eco-toxicological effects.

Bioaccumulative potential

Bioaccumulation is unlikely.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 7 of 8

Mobility in soil

No data available

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

slightly water endangering
Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

13. Disposal considerations
Waste treatment methods
Disposal recommendations

Can be incinerated, when in compliance with local regulations.

Contaminated packaging

Dispose of completely emptied containers as combustible waste or metal waste depending on the material.

14. Transport information
U.S. DOT 49 CFR 172.101

<u>UN number or ID number:</u>	UN 3295
<u>Proper shipping name:</u>	HYDROCARBONS, LIQUID, N.O.S.
<u>Transport hazard class(es):</u>	3
<u>Packing group:</u>	III
Hazard label:	3


Marine transport (IMDG)

<u>UN number or ID number:</u>	UN 3295
<u>UN proper shipping name:</u>	HYDROCARBONS, LIQUID, N.O.S.
<u>Transport hazard class(es):</u>	3
<u>Packing group:</u>	III
Hazard label:	3



Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

<u>UN number or ID number:</u>	UN 3295
<u>UN proper shipping name:</u>	HYDROCARBONS, LIQUID, N.O.S.
<u>Transport hazard class(es):</u>	3
<u>Packing group:</u>	III
Hazard label:	3



Safety Data Sheet

according to 29 CFR 1910.1200(g)

Cutting Fluid Silberschnitt V52

Revision date: 05/04/2026

Product code: BO5002904

Page 8 of 8

Special Provisions:	A3 A324	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		355
IATA-max. quantity - Passenger:		60 L
IATA-packing instructions - Cargo:		366
IATA-max. quantity - Cargo:		220 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information
U.S. Regulations
National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C10-C13, isoalkanes, cyclics, <2% aromatics (68551-17-7): Fire hazard

3-butoxypropan-2-ol, propylene glycol monobutyl ether (5131-66-8): Immediate (acute) health hazard

State Regulations
Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information
Hazardous Materials Identification System (HMIS)

Health:	1
Flammability:	2
Physical Hazard:	0

NFPA Hazard Ratings

Health:	1
Flammability:	2
Reactivity:	0
Unique Hazard:	


Changes

Revision date: 05/04/2026

Revision No: 1,11

This data sheet contains changes from the previous version in section(s): 2,4,9.

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)