

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Glazing polish VELOX Polisan 2

Revision date: 09/09/2026

Product code: BO5007903

Page 1 of 4

1. Identification**Product identifier**

Glazing polish VELOX Polisan 2

Recommended use of the chemical and restrictions on use**Details of the supplier of the safety data sheet****Manufacturer**

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
E-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
E-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

Supplier

Company name:	Bohle America / Portals Hardware
Street:	925 Lydia Ave
Place:	Kansas City, MO 64106 USA
Telephone:	+1 888 838 6006
E-mail:	support@portalshardware.com

Emergency phone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Label elements**3. Composition/information on ingredients****Mixtures****Relevant ingredients**

none (according to 29 CFR 1910.1200(g))

4. First-aid measures**Description of first aid measures****General information**

No special measures are necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Rinse mouth.

5. Fire-fighting measures**Extinguishing media**

Glazing polish VELOX Polisan 2

Revision date: 09/09/2026

Product code: BO5007903

Page 2 of 4

Suitable extinguishing media

Carbon dioxide (CO₂), Extinguishing powder, Water spray jet

6. Accidental release measures
Personal precautions, protective equipment and emergency procedures
General advice

Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up
Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

7. Handling and storage
Precautions for safe handling
Advice on safe handling

None under normal processing.

When using, do not eat, drink or smoke.

Wash hands before breaks and after work.

Advice on general occupational hygiene

See section 7. No additional measures necessary.

Conditions for safe storage, including any incompatibilities
Hints on joint storage

no restriction

Further information on storage conditions

Protect from frost, heat and sunlight.

8. Exposure controls/personal protection
Control parameters
Exposure limits

CAS No	Substance	ppm	mg/m ³		Category	Origin
56-81-5	Glycerin (mist) Respirable fraction	-	5		TWA (8 h)	PEL

Exposure controls
Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment
Eye/face protection

Avoid contact with eyes.

safety glasses with side-shields conforming to EN166

Hand protection

Avoid contact with skin.

Wear suitable gloves.

Butyl caoutchouc (butyl rubber)

Take note of the information given by the producer concerning permeability and break through times , and of special workplace conditions (mechanical strain, duration of contact).

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Glazing polish VELOX Polisan 2

Revision date: 09/09/2026

Product code: BO5007903

Page 3 of 4

Skin protection

Not required

Respiratory protection

Not required

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	liquid
Color:	beige
Odor:	characteristic
Water solubility:	partially miscible

10. Stability and reactivity**Reactivity**

No dangerous reaction known under conditions of normal use.

11. Toxicological information**Information on toxicological effects****ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Information on other hazards**Endocrine disrupting properties**

This information is not available.

12. Ecological information**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

This information is not available.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

In accordance with local and national regulations.

14. Transport information**Other applicable information**

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

15. Regulatory information**U.S. Regulations****State Regulations**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Glazing polish VELOX Polisan 2

Revision date: 09/09/2026

Product code: BO5007903

Page 4 of 4

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information**Changes**

Revision date: 09/09/2026

Revision No: 2,02

This data sheet contains changes from the previous version in section(s): 11.

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)